



2020
- ENGLISH -

WHY A RIB?




SECURITY

The tubes of Zodiac boats have several chambers separated by waterproof partitions. Due to its all-important air reserves, the boat retains its ability to float and is virtually unsinkable when fully loaded – even in the event of a deflated chamber.



REASSURING STABILITY

With buoyancy equally distributed and a low centre of gravity, Zodiac boats are almost impossible to capsize when fully loaded.



EXCEPTIONAL LOAD

You're right, there are 12 football players onboard this Zodiac boat! With exceptional weight to area-below-water ratio, Zodiac boats have a considerable load-bearing capacity.



© Gérard Garnier, Futura 1987, 55 knots

REMOVABLE TUBES : A ZODIAC EXCLUSIVE

Built-in fenders mean less stress when docking. The boat will simply bounce without damage if it happens to tap a dock or neighbouring boat in the harbour.



The tube is entirely removable and can be taken apart and folded to allow for easier transportation, storage, maintenance and repair.

CHANGING YOUR TUBES?

There is nothing easier. The tubes can be removed from the hull which is ideal to renovate or restyle your boat for less.

POWER

RIBs consume less fuel thanks to their power-to-weight ratio and a smaller horsepower engine is required to deliver the same performance as a traditional hull.

MORE ECONOMICAL AND PRACTICAL

When buying and maintaining a boat, semi-rigid is less expensive than a hull and, in most cases, a large truck is not required to tow it.





BENEFITS OF A RIB



**A TRUE 4X4
OF THE SEA**

MORE CAPABLE

The unique combination of a very low centre of gravity, a deep-v hull and added stabilisation gives RIBs impressive speed and sea-crossing capabilities without compromising on comfort or safety.





QUALITY

THE HULL

An internal structure of rot resistant polyester built with a spar and floors network guarantees a single block link between the hull and deck. This results in the rigidity and resistance to enhance performance in all load conditions.


THE TUBES

Zodiac Nautic developed a unique process to assemble its tubes: thermobonding. This process consists of welding together pieces of Strongan™ to offer a material that is both waterproof and durable – almost indestructible. Zodiac is the only manufacturer to master welding together all structural materials of an inflatable boat, therefore guaranteeing exceptional longevity and security.



QUALITY TEST

Zodiac Nautic carefully selects all materials built into its boats adhering to strict functional specifications. Zodiac is also the only manufacturer to subject every individual boat to a series of extreme condition tests. Your Zodiac boat is sure to last.





As the inventor of inflatable boats and 120 years of experience, Zodiac Nautic offers RIBs with exceptional resistance and reliability by using materials and processes that are always at the cutting edge of technology.



RANGE

3 METRES / 9'10"

4 METRES / 13'1"

5 METRES / 16'4"

6 METRES / 19'8"

7 METRES / 23'

8 METRES / 26'3"

PRO

À la carte



420

500

55

65

7

750

850

OPEN

All-in-one



55

65

7

MEDLINE

Private oasis



500

580

660

75

9

N-ZO

Premium cruising



680
700
CABIN

760

CLASSIC

The original



380

420

FUTURA

Master of the sea



370

410

450

RIGID-HULLED INFLATABLE

FOLDABLE



12

PRO
Custom mode



36

MEDLINE
Private oasis



24

OPEN
All-in-one



46

N-ZO
Premium cruising



52

CLASSIC
The original



53

FUTURA
Master of the sea

PRO

CUSTOM MODE



Practical | Adaptable | Diverse





PRO 7



PRO 5.5



PRO 5.5



PRO 7



PRO 7



PRO 5.5




PRO 5.5

PRO

PRACTICALITY

Widely appreciated, the PRO range is equipped with a removable tube that makes maintenance easy. The platform deck offers multiple layout options.



WIDE DIAMETER REMOVABLE TUBE

Stable with a hollow inside.

DEEP V-SHAPED FIBER GLASS HULL

Comfort and high performance on heavy seas.

GREAT USE OF SPACE

Large surface area available for multiple fittings, featuring storage space under the deck and a sizeable tank for wider range.

MOULDED SELF-BAILING DECK ON NEW GENERATION

Ease of use: safety and maintenance user friendly.

NEW FISH TAIL CONES

Patented innovation
Easy access to the bathing ladder.

PRO 6.5

ADAPTATION

Diving, fishing, water-sports, work or leisure – the Pro adapts. Design the deck layout to suit your lifestyle and preferences.



DIVING



FISHING



PASSENGER TRANSPORT



EXPLORATION

WIDE VARIETY

The Pro offers unrivalled layout and personalisation options.








- Numerous colour combinations including hull, tubes, accessories and tank integration
- Position of equipment such as console and seats in your preferred location
- Choice of driving position – either seated or standing
- Models available between 4.2m – 8.5m



CONSOLES

								
	Jockey console 1 seater white	Optima 800 console side mount grey/white	Optima 800 console grey/white	Optima 800 ftc console grey/white (68l/18gal)	Jockey console 2 seaters grey/white	Pro HL console light/dark grey	Pro HLS console/seater light/dark grey	Pro HXL console light/dark grey
	Z1418	Z61451/Z61390	Z61450/Z61389	Z61452/Z61391	Z61247/Z61168	Z61727/Z61731	Z61728/Z61732	Z61729/Z61733
420	•	•			•			
500	•		•	•	•			
5.5						•	•	•
6.5						•	•	•
7						•	•	•
750						•	•	•
850						•	•	•

SEATS

							
	Optima 525 seaters white/grey	Optima 450 1 seater without backrest white/grey	Bolster tube mono	Bolster tube double	Bolster optima grey/white	Bolster pro light/dark grey	3-Seater bench seat (removable)
	Z61217/Z61212	Z61426/Z61427	Z61815	Z61778	Z61235/Z61236	Z61720/Z61721	Z61726
420	•	•	•				
500	•	•	•		•		
5.5			•	•		•	•
6.5			•	•		•	•
7			•	•		•	•
750	•		•	•		•	
850	•		•	•		•	



Pro HXLS console/seater light/dark grey	Optionnal instrumental panel for HL console light/dark grey	Optionnal instrumental panel for HXL console light/dark grey	High handrail for l console	High handrail for xl console	Console foot rest (unit)
Z61730 /Z61734	Z61735/Z61737	Z61736/Z61738	Z61637	Z61638	Z61639

•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•



3-Seater bench seat (fixed)	Jockey seat pro 1 seater light/dark grey	Bolster's backrest pro	Front handle for jockey seat
Z61739	Z61722/Z61723	Z61650	Z61675

•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•

PANORAMIC WINDSCREEN
Protection against wind and sea spray.


HANDRAIL
Wide diameter, comfortable grip, robust and ergonomic.

INSTRUMENT PANEL
Large dashboard as standard for all of your instruments plus the choice to go bigger with the optional upper section.

TIPPING CONSOLE
Perfect to reduce the height for winter storage.



EQUIPMENT TO ENHANCE COMFORT

									
	Z1198/Z1199	Z61641/Z61647	Z61643	Z61642	Z61644	Z61599	Z61751	Z61584	Z61294
420	•								
500	•								
5.5		•	•	•	•	•	•		•
6.5		•	•	•	•	•	•		•
7		•	•	•	•	•	•		•
750		•	•	•	•	•	•		•
850		•	•	•	•	•	•	•	•

A FRAMES AND ADDITIONAL EQUIPMENT FRAMES

											
	Z61149	Z1167	Z61645	Z61768	Z61814	Z61646	Z61694	Z61743	Z61296	Z61394/Z61395/ Z61297	Z61385/Z61385BK
420								•	•	•	
500		•						•	•	•	
5.5			•	•	•	•	•	•	•	•	
6.5			•	•	•	•	•	•	•	•	
7			•	•	•	•	•	•	•	•	
750	•								•	•	•
850	•								•	•	•

T-TOPS



T-top black alu (mini)

Z61684



T-top black alu (standard)

Z61683



Bimini

Z1088



Mooring cover (boat only)

Z61075



Covers (console, bolster, back seat)

Z61260/Z61259

420			•	
500			•	
5.5	HL/HLS			•
6.5	HL/HLS	HL/HLS		•
7	HL/HLS	HL/HLS		•
750	HL/HLS	HXL/HXLS		•
850	HL/HLS	HXL/HXLS		•

ELECTRONICS



Navigation lights red/green (on roll bar or console)

Z60853



Navigation lights (installation on the roll bar)

Z67307

420	•	•
500	•	•
5.5	•	•
6.5	•	•
7	•	•
750	•	•
850	•	•



ÉQUIPEMENTS

PRO


3D CONFIGURATION



Colours



Equipment



Engine

www.zodiac-nautic.com



PRO 420 PRO 500 PRO 5.5 PRO 6.5 PRO 7 PRO 750 PRO 850

Length overall/inside (m-f)	4.20/2.90	4.70/3.38	5.40/4.25	6/4,94	6.75/5.71	7.50/6.16	8.50/7.45
Width overall/inside (m-f)	1.90/0.95	2.05/1.05	2.54/1.39	2.54/1.39	2.54/1.39	2.90/1.65	3/1.85
Weight (Kg-Lbs)	181	230	430	610	790	860	1450
Number of passengers	7	9	12	15	16	20	25
Max power allowed (CV)	50	70	115	175	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
Tank capacity (l-gal)	ø	ø	100	200	200	310	400

STANDARD EQUIPMENT

HULL

- Deep V fiberglass hull
- Moulded in deck light grey or dark grey
- Anchor locker which can be padlocked
- Stern flush deck locker + 1 front locker
- 2 High volume bailers
- 1 Bow mooring bollard
- 2 Stern cleats (Pro 5.5/6.5/7/750/850)
- Technical area (Pro 5.5/6.5/7/750/850)
- Bilge pump (Pro 5.5/6.5/7/750/850)
- 1 Bow ring
- 2 Towing rings

TUBE

- Removable tube
- Strongan™ - DUOTEX™ fabric 2x1100 decitex (Pro 420/500/5.5/6.5)
- Hypalon™ - Neoprene™ fabric (Pro 7/750/850; option on Pro 420/500/5.5/6.5)
- GRP bow step incl. anchor roller
- Fish Tail Cones (Pro 5.5/6.5/7)
- Semi-recessed valves Easy Push
- Double grab line
- Anti-slip patches
- Large profile rubstrake
- 4 External handles

ADDITIONAL EQUIPMENT

- Integrated fuel tank + water/fuel separator (Pro 5.5/6.5/7/750/850)
- Battery switch (Pro 5.5/6.5/7/750/850)
- Bathing ladder
- 2 Paddles
- Foot pump & pressure gauge
- Repair kit
- Owners manual

COLOUR

	Strongan™	Hypalon Neoprene™	Hull
420/500	Black Red	Grey	White Grey
5.5	Red Black Grey	Blue Red Black Normal grey Light grey	Dark grey Light grey
7		Blue Red Black Normal grey Light grey	Dark grey Light grey
750		Red Black Normal grey Light grey	Dark grey
850		Black Normal grey	Dark grey



PRO 5.5

SPECIFICATIONS

OPEN

ALL-IN-ONE



Practical | Versatile | Performance





OPEN 7



OPEN 5.5



OPEN 5.5



OPEN 5.5



OPEN 5.5



OPEN 7




OPEN 7

OPEN

VERSATILITY

A true Swiss-Army knife. Suitable for all activities, the Open is the cross-over of the seas. The versatility of this RIB has been precisely designed through every detail so that you can live your passion.



TILT FORWARD CONSOLE

- Easy to winterize or store in the garage
- Easy to maintain and winterise or simply store in the garage

LARGE DIAMETER REMOVAL TUBE FUNCTIONAL

Stable and safe.

DEEP V FIBERGLASS HULL

Combining comfort and performance in strong seas.

MAXIMUM USAGE OF THE DECK

Plenty of space to move on deck with exceptional storage and a large fuel tank.

MOULDED SELF-BAILING DECK

Makes maintenance and safety easy.

NEW FISH TAIL CONES

Patented innovation
Easy access to the swimming ladder.

OPEN 7

3 TUBE COLORS

OPEN 5.5



HYPALON™-NEOPRENE™
Black/light grey

OPTION:

EVA DECK / 2 COLORS



HYPALON™-NEOPRENE™
Grey/normal grey



STRONGAN™ *
Black/light grey



*except OPEN 7

OPEN 7

OPEN

PERFORMANCE

The v-hull and optimised deck plan ensures excellent stability at sea and better movement on-board for cruising. With the perfect balance between performance and comfort, you can enjoy a day on the water whatever your passion.



OPEN 6.5



OPEN 5.5



OPEN 7



OPEN 55



OPEN 7




OPEN 55

OPEN

PRACTICAL

The optimisation of the under-deck storage areas on the Open 7 offer 1250 litres of space for your chosen activities. Whether its skiing, fishing or scuba diving, choose your activity depending on your mood rather than space.





OPEN ACCESSORIES FOR ALL ACTIVITIES



RELAXATION

- The sundeck extension is a must-have for sunbathing. Sit down comfortably and relax all day long.
- Backrest with lateral blocks for optimal comfort
- Bow and several handrails – perfect for children
- Swim platforms



FISHING

- Multifix range (fishing rod - lures - cup holders...)
- Bow rail
- T-top for protection from the sun and a sporty look.
- Swim platforms - perfect to add space to the aft of the boat and move around safely.



WATER SPORTS

- Roll bar/tow bar - high towing point - ideal for watersports.
- Stereo.
- Rear platforms - perfect for diving.
- T-top for better protection and a sporty look.
- EVA deck comfortable and attractive.



DIVING

- Swim platforms provide plenty of space for diving preparation.
- Multifix range - cup holder, flag holder etc.
- Storage for dive tanks under the bolster.
- EVA deck is comfortable and attractive.



OPEN 5.5



OPEN 6.5



OPEN 7

Length overall/inside (m-f)	5,40/4,22	6,10/4,94	6,95/5,714
Width overall/inside (m-f)	2,54/1,39	2,54/1,39	2,54/1,39
Weight (Kg-Lbs)	585	610	910
Number of passengers	12	15	16 (C)/5 (B)
Max power allowed (CV)	130	175	250
Tank capacity (l-gal)	100	200	225

STANDARD EQUIPMENT

HULL

- Hull polyester in deep V
- Anchor locker
- 2 High volume bailers
- Bollard
- 2 Rear handles for passengers
- 1 Bow mooring bollard and 2 stern cleats
- Bilge pump

TUBE

- Strongan™ Duotex™ or Hypalon Neoprene™ fabric
- 1670 Decitex
- Fiberglass bow step with anchor roller with fairlead
- Bow chocks
- Fish Tail
- Valves semi-encastées « Easy push »
- Double grab line
- Large profile rubstrake

OTHER STANDARD EQUIPMENT

- Pilot / co-pilot leaning post, storage
- 14 Gallon (54l) cooler
- Stern seats with removable back rests
- Large dashboard
- Spacious dashboard
- Tilt forward console with front hatch
- Integrated fuel tank + water/fuel separator
- Surface, 12v/USB socket
- Cupholders
- Battery switch
- Navigation lights
- Swim ladder
- Mechanical steering system
- 2 Paddles
- Foot pump & pressure gauge
- Repair kit and owner's manual



SPECIFICATIONS

MEDLINE

PRIVATE OASIS



Space | Relaxation | Leisure







MEDLINE

RELAXATION

Perfect for long trips on the sea, the Medline is a true private oasis thanks to its transformable sunbathing area. Created with day trips in mind, the Medline range forms part of the new generation of Zodiac boats.




SPACE

The deck space makes it easy to move around. The forward sun lounge area is spacious and easily set up, as is the aft sun deck. Whether swimming, sunbathing or lunching on the beach, every detail has been designed utilising the vast knowledge and experience of Zodiac Nautic.



LEISURE

Now with five models available, the Medline range has been re-imagined with comfort and ease of use in mind whether at anchor or sea. The dimensions and weight of each boat has been optimised to deliver the perfect power-to-weight ratio with ample engine power.



MIX AND MATCH

Choose your GRP, tube and upholstery colour.



MEDLINE 500

Gel Coat



Tube



Upholstery



MEDLINE 580 AND 660

Gel Coat



Tube



Upholstery



MEDLINE 7.5



Gel Coat



Tube



Upholstery



MEDLINE 9 SPRING 2020



Gel Coat



Tube



Upholstery



NEW : MEDLINE 9

A spacious relaxation area for unforgettable days on the water.

- Double front and back saloon, convertible to sundeck area
- Up to 14 seats in standard equipment
- Integrated kitchen with sink (optional: Grill)
- Console integrating a habitable cabin with toilets (optional: bunk bed space)
- Triple position bolster for up to two adults + one child
- Rear bathing platforms giving access to the sea





MEDLINE 500

MEDLINE 580

MEDLINE 660

MEDLINE 7.5

MEDLINE 9

Length overall/inside (m-f)	5/4.06	5.80/4.91	6.60/4.74	7.34/6.16	8.90/NC
Width overall/inside (m-f)	2.24/1.25	2.54/1.44	2.54/1.39	2.90/1.67	3.06/1.86
Weight (Kg-Lbs)	353	601	826	1150	NC
Number of passengers	9	12	14	16 (C) – 6 (B)	20 (C) – 8 (B)
Max power allowed (CV)	80	115	200	300	NC
Tank capacity (l-gal)	90	90	200	300	400

INCLUDED STANDARD EQUIPMENT ACCORDING TO THE MODEL

Self-bailing deck when empty
Integrated fuel tank
Front sundeck
Hydraulic steering
Removable tube
Bathing ladder, showerhead

MEDLINE 580



COMFORT

Bimini
Shower kit
Table



SPORT

Shower kit
Ski mast
Audio Fusion Pack
Bolster shelf



ELEGANCE

Shower kit
Table
Audio Fusion Pack
Bimini
EVA deck
GPS 9" GARMIN
Sensor/Probe to glue
Bolster shelf

MEDLINE 660



COMFORT

Bimini beige MED660
Bimini black MED660
Shower kit MED580/660
Table



SPORT

Shower kit
Ski mast
Bolster shelf
Audio Fusion Pack



ELEGANCE

Shower kit
Table
Bolster shelf
Bimini
EVA deck
GPS 9" GARMIN
Sensor/Probe to glue
Audio Fusion Pack

MEDLINE 7.5



COMFORT

Kit sunbed cushion
+ Comfort backrest behind
bolster
Sundeck
Front sundeck extension



SPORT

Ski mast
Kit Fusion (2 loudspeakers)
Roll bar
Slide-up bimini
Kit sunbed cushion
+ Comfort backrest behind
bolster



ELEGANCE



Console decor
EVA deck
Courtesy lights
GPS 9"
Sensor/Probe to glue
Kit Fusion + 2 loudspeakers
Ski mast
Roll bar grey
Slide-up bimini
2 HP fusion sup
Kit sunbed cushion +
Comfort backrest behind
bolster
Rear sundeck

Packs also available on the Medline 500. Visit our website for more information.

SPECIFICATIONS

N-ZO

PREMIUM CRUISING



Design | Comfort | Ergonomics



MIX AND MATCH

Choose your GRP, tube and upholstery colour.



N-ZO 680

Gel Coat



Tube



Upholstery



N-ZO 700 CABIN


Gel Coat




Tube



Upholstery





N-ZO 760



Gel Coat



Tube



Upholstery



N-ZO

N-ZO ACCESSORIES



N-ZO 680



N-ZO 700 CABIN



N-ZO 760

Length overall/inside (m-f)	6.8/5.82	6.99/6.37	7.60/6.38
Width overall/inside (m-f)	2.54/1.30	3.21/2.40	3.04/1.70
Weight (Kg-Lbs)	1058	1489	1530
Number of passengers	14	14	18
Max power allowed (CV)	300	300 - 2 x 150	350 - 2 x 150
Tank capacity (l-gal)	212	310	300

STANDARD EQUIPMENT

- Integrated fuel tank
- Self-bailing deck when empty
- Front sundeck
- Hydraulic steering
- Navigation lights
- Ski mast arch



N-ZO 680



PACK ESSENTIAL

- Standard steering wheel
- Table
- Electric ice box
- Bimini



PACK SMART

- Premium steering wheel
- Table
- Electric ice box
- Console decor
- Audio Fusion Pack
- Courtesy lights
- Bimini



PACK DELUXE

- Premium steering wheel
- Table
- Electric ice box
- Console decor
- Audio Fusion Pack
- Courtesy lights
- Bimini
- EVA deck
- Console + bolster gel coat black
- Equipment "Colour Paint Finish" (ski mast + handrail)
- Zodiac Connected boat (free for 1 year)

N-ZO 700C



PACK ESSENTIAL

Standard steering wheel
Bimini
Fridge
Table



PACK SMART

Premium steering wheel
Bimini
Fridge
Table
Console
Audio Fusion Pack
Courtesy lights
GPS 7" GARMIN
Sensor/probe



PACK DELUXE

Premium steering wheel
Bimini
Fridge
Table + table cushion
Console decor
Audio Fusion Pack
Courtesy lights
EVA deck
Console + bolster gel coat black
Equipment "Colour Paint Finish" (ski mast + handrail + pulpit)
Zodiac Connected boat (free for 1 year)
GPS 7" GARMIN
Sensor/probe

N-ZO 760



PACK ESSENTIAL

Standard steering wheel
Fridge
Rear sundeck extension
Bimini



PACK SMART

Premium steering wheel
Fridge
Rear sundeck extension
Bimini
Console decor
Audio Fusion Pack
Courtesy lights
GPS 7" GARMIN
Sensor/probe



PACK DELUXE

Premium steering wheel
Fridge
Rear sundeck extension
Bimini
Console decor
Audio Fusion Pack
Courtesy lights
EVA deck
Console + bolster black
Equipment "Colour Paint Finish" (ski mast + handrail)
Zodiac Connected boat (free for 1 year)
GPS 7" GARMIN
Sensor/probe



SPECIFICATIONS

CLASSIC

THE ORIGINAL

PRACTICAL

Worthy heir of the first Zodiac boats, the Classic range has kept all of its qualities: security, stability and strength. These models are easy to manoeuvre on land and water with a pair of wheels for launching and a small draught allowing access to in-land spots otherwise inaccessible to other boats.



ECONOMICAL

Equipped with a low-power engine, the Classic range achieves honourable performance at low level fuel consumption and up-keep.

ROLL-UP

Entirely able to roll up and, once rolled and stored in its two bags, only a few square metres – perfect for winter storage and always ready to follow you on adventures. Available with a wooden or aluminium floor.



CLASSIC MARK II



CLASSIC MARK II C

Length overall/inside (m-f)	4,20/2,95 - 13'9"/9'8"	3,80/2,55 - 12'6"/8'4"
Width overall/inside (m-f)	1,83/0,92 - 6'0"/3'0"	1,83/0,92 - 6'0"/3'0"
Weight (Kg-Lbs)	83 - 183	74 - 163
Number of passengers	7	6
Max power allowed (CV)	40	35



FUTURA

MASTER OF THE SEA

SPORTY

As a true master of the seas, the Futura is a dream to pilot. Its patented hull made of two additional tubes delivers extraordinary stability in tight turns and absorbs small waves at high speed comfortably.

FUN

Plenty of options are available to suit your lifestyle. Choose between the anodised aluminium, perfectly rigid floor for loaded use or the inflatable floor for practicality without sacrificing performance – just unfold, inflate & go!

FOLDABLE

The Futura is offered with a fast roller inflatable floor (FR). The aluminium version can be equipped with an ingenious cockpit, fixed without tools on the railings of the floor, allowing a free and adjustable position.



FUTURA MARK II C ALU/FR



FUTURA MARK II ALU/FR



FUTURA MARK III ALU/FR

Length overall/inside (m-f)	3.70/2.60 - 12'2"/8'6"	4.10/3.00 - 13'5"/9'10"	4.50/3.40 - 14'9"/11'2"
Width overall/inside (m-f)	1.99/0.89 - 6'6"/2'11"	1.99/0.89 - 6'6"/2'11"	2.05/0.90 - 2'11"/1'10"
Weight (Kg-Lbs)	120/97 - 264/214	125/101 - 275/22	139/118 - 306/268
Number of passengers	6/5	7/6	9/8
Max power allowed (CV)	40/25	50/30	60/40



TENDERS

2 METERS / 6'7"

3 METERS / 9'10"

4 METERS / 13'1"

5 METERS / 16'4"

YACHTLINE

Yachtline Deluxe



NEW CADET RIB ALU

Lightness and robustness



CADET RIB POLYESTER

Elegance and strength



CADET COMPACT

A rigid - hull in a bag




CADET FASTROLLER

The must-have foldable tender



CADET

The market's standard



RIGID-HULLED

FOLDABLES



56

RIGID-HULLED
YACHTLINE
CADET RIB POLYESTER
CADET RIB ALU
CADET COMPACT



62



64

SUP
And accessories



FOLDABLES
CADET FASTROLLER
CADET

YACHTLINE

YACHT LINE DELUXE



Luxury | Fun | Performance



YACHTLINE

The YACHTLINE RIB tender range enhances style, equipment and comfort. Their compact size allows for easy platform or fly bridge storage without compromising on seating. The design of the boarding steps also ensures maximum stability when getting on-board.

The YACHTLINE hull with integrated wings has been designed to perform with the most powerful four-stroke engines. It has the characteristics to allow for a multitude of activities on the water to create the perfect partner for your yacht.





360

400

440

490

Length overall/inside (m-f)	3.60/2.00	4.00/2.40	4.40/2.80	4.90/2.98
Width overall/inside (m-f)	1.77/0.86	1.77/0.86	1.86/0.94	2.05/1.05
Weight (Kg-Lbs)	200	218	273	390
Number of passengers	4	5	6	9
Max power allowed (CV)	40	50	50	90
Tank capacity (l-gal)	35	35	57	85

STANDARD EQUIPMENT

HULL

Polyester hull in V shape with integrated wings
 Non-slip counter-molded deck
 Multiple lockers

TUBE

Choice in fabric: neoprene 1100 decitex, or Strongan™
 Duotex™ 2 x 1100 decitex (except 490)
 Removable tube
 Easy-Push valves
 Handles
 Large-profile rubbing strake
 Cone reinforcements

STANDARD EQUIPMENT

Console with steering, 3 switches, glove box,
 12/V USB plug
 Integrated fuel tank + gauge + water/fuel separator
 Bow step with integrated navigation lights,
 courtesy LEDs
 and retractable cleat
 Lateral boarding steps
 Entire upholstery
 2 stainless steel mooring cleats
 3 lifting points
 Deck lighting
 Navigation lights
 Battery switch
 Automatic bilge pump

OPTIONAL ACCESSORIES

Lifting slings
 Backrest
 Windscreen
 Mooring cover / Protection cover
 Ski mast (490)
 Lateral swimming ladder
 Synthetic teak deck
 Pont en teck synthétique



SPECIFICATIONS

TENDERS

RIGID-HULLED

CADET RIB POLYESTER

Elegance and strength

Built to last with generous space, a Cadet RIB will complete your boat. Equipped with large-diameter tubes, the range is particularly stable and able to carry passengers and goods whilst keeping them dry. The polyester, deep v-hull means they can easily lift off the water and feel comfortable on small waves. Available in two colours and either Strongan™ or Hypalon™ fabric for use in tropical zones.



RANGE
260 | 290 | 310 | 340 | 390



CADET RIB ALU

Lightness and robustness

Zodiac Nautic has completed its tender range with a new series of aluminium hulls. These ultra-light tenders are easy to handle and have a low impact on the davits of your boat. The large diameter tubes ensure stability and the ability to plane quickly so everything in your boat remains safe and dry.





CADET COMPACT

A rigid hull in a bag

One deflated, the Cadet Compact takes up a very small amount of space thanks to its roll-up transom which is patented by Zodiac Nautic and its unique storage bag. Able to launch fast – simple inflate, install the rows and put it on the water. Robust and rot-resistant, the hull offers a good level of stability due to another Zodiac Nautic exclusivity: the RIMTEC process (Reinforced Injection Molding Technology).



ULTRA LIGHT VERSION
240 | 270 | 300 | 330 | 360

FLAT/V DECK VERSION
300 | 330 | 360 | 390



RANGE
250 | 300



TENDERS

FOLDABLES



CADET FASTROLLER

The must-have foldable tender

Equipped with the Acti-V concept (a Zodiac Nautic patented technology), the hull of the Cadet Fastroller is thinner and more distinct with a rigid H2P floor. The result is an easy to launch inflatable with firm holding and mastered piloting – characteristics never seen before on this type of tender. All of its structural elements are welded, including its rubstrake, transom and fabric bottom. The experts will appreciate its technical performance that has direct impact on its security and durability.



RANGE
285 | 325 | 360





CADET

The market's standard

Setting the industry's benchmark, the Cadet range utilises top quality materials and assembly systems to guarantee resistance and durability. With a complete range of accessories available, you can find top Zodiac Nautic patented products such as rowlock and its tridimensional adjustment or the internal command drain plug to make your inflatable safer to use. Available in three floor options (depending on model size) to suit your load requirements.



RANGE

200	230	270	310	350
Aero	Aero	Aero	Aero	Aero
Roll up	Roll up	Roll up	×	×
×	×	Alu	Alu	Alu



Aero



Roll up



Alu



SUP

To sail alone or with the family, the paddles are a pleasure for young and old thanks to their great stability. These inflatable paddles can also be used as an annex when anchoring.



ACCESSORIES

A complete range

Zodiac accessories benefit from all of the knowledge and experience that build the foundation of all of its products. Each accessory is produced with the same care, quality and reliability as our boats.

You can equip your boat with a wide range of accessories such as sun loungers, sun roofs, ski poles, shower kits and more. **Find out more with your local Zodiac dealer.**

The Zodiac Nautic shop offers a large choice of merchandise to share your love of the Zodiac brand including gear, luggage and more!



Access the entire range of Zodiac products and accessories on:

WWW.ZODIAC-NAUTIC.COM

ZODIAC CONNECTED BOAT



LOCATION

The exact position of your boat is displayed in real time, 24 hours a day.



NAVIGATIONS

Save all your navigations on a map and place the most interesting places you discover.



STATUS OF THE BOAT

Monitor the tank level, bilge pump and engine hours.



SECURITY

Receive an instant alert when your boat leaves an area that you define.



CONTROLS

Connect the Connected Boat device to an accessory (lamp, pump), and turn it on directly from your smartphone.



MAINTENANCE

Get detailed reports on your use of the boat and motor, and plan your maintenance activities accordingly.



ZODIAC NAUTIC SERVICES

AN INTERNATIONAL NETWORK OF TRUST

Present in more than 50 countries around the world, Zodiac Nautic and its 1.600 Agents will put their expertise at your service. Our network guarantees an efficient and reliable after-sale service: whether you need a new accessory or replacing a lost part, you are sure to find a Zodiac Nautic dealer putting their skills to work for you. **Our agents sometimes do the maintenance of the same boat for more than 20 years!**

Do not hesitate to consult them: they will know how to advise you when buying your boat or upkeeping it. We count on them, they deserve your trust.

Find our dealers:

WWW.ZODIAC-NAUTIC.COM


WARRANTY*

5
YEARS

ZODIAC



*See the conditions of application of the contractual guarantee (3 years) and its paid extension (2 years) with our network.



ZODIAC NAUTIC WORLD

THE ZODIAC NAUTIC WORLD IS YOURS
#ZODIACBOAT



Zodiac Nautic



@ZodiacNautic



Zodiac_nautic



Zodiac Nautic



Zodiac Nautic



BOATS SPECIFICATIONS

CLASSIC		FUTURA			N ZO			MEDLINE				
Mark II Alu	Mark II C Alu	Mark II C Alu/FR	Mark II Alu/FR	Mark III Alu/FR	680	700 cabin	760	500	580	660	75	9

DIMENSIONS (METERS – FEET)

Length overall (m - f)	4.20 - 13'9"	3.80 - 12'6"	3.70 - 12'2"	4.10 - 13'5"	4.50 - 14'9"	6.8 - 22'4"	6.99 - 22'11"	7.60 - 24'11"	5 - 16'5"	5.80 - 19'	6.60 - 21'8"	7.34 - 24'1"	NC
Inside length (m - f)	2.95 - 9'8"	2.55 - 8'4"	2.60 - 8'6"	3.00 - 9'10"	3.40 - 11'2"	5.82 - 19'1"	6.37 - 20'11"	6.38 - 20'11"	4.06 - 13'4"	4.91 - 16'1"	4.74 - 15'7"	6.16 - 20'3"	NC
Width overall (m - f)	1.83 - 6'0"	1.83 - 6'0"	1.99 - 6'6"	1.99 - 6'6"	2.05 - 6'9"	2.54 - 8'4"	3.21 - 10'6"	3.04 - 9'12"	2.24 - 7'4"	2.54 - 8'4"	2.54 - 8'4"	2.90 - 9'6"	NC
Inside width (m - f)	0.92 - 3'0"	0.92 - 3'0"	0.89 - 2'11"	0.89 - 2'11"	0.90 - 2'11"	1.30 - 4'3"	2.40 - 7'10"	1.70 - 5'7"	1.25 - 4'1"	1.44 - 4'9"	1.39 - 4'7"	1.67 - 5'6"	NC
Buoyancy tube diameter (m - f)	0.45 - 1'6"	0.45 - 1'6"	0.55 - 1'10"	0.55 - 1'10"	0.57 - 1'11"	0.60 - 2'0"	0.65 - 2'2"	0.65 - 2'2"	0.50 - 1'8"	0.55 - 1'10"	0.575 - 1'11"	0.6 - 1'12"	NC
Hull angle	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC

CAPACITY

Design categories	C	C	C	C	C	C + D	B + C + D	B + C	C	C	C	B + C	
Number of passengers (ISO)	7	6	6 / 5	7 / 6	9 / 8	14	14 (C+D) - 7 (B)	18 (C) - 7 (B)	9	12	14	16 (C) - 6 (B)	
Maximum authorized payload (Kg – lbs.)	840 - 1852	750 - 1653	860 - 1896 800 - 1764	1100 - 2425 1000 - 2205	1280 - 2822 1200 - 2646	1480 - 3263	2036 - 4489 (C) 1661 - 3662 (B)	2080 - 4585 (C) 1250 - 2755 (B)	1232 - 2716	1420 - 3131	1490 - 3285	1730 - 3814 (C) 980 - 2161 (B)	
Total weight (Kg – lbs.)	83 - 183	74 - 163	120 - 264 97 - 214	125 - 275 101 - 220	139 - 306 118 - 268	1058 - 2332	1489 - 3283	1530 - 3373	353 - 778	601 - 1325	826 - 1821	1150 - 2535	
Number of airtight compartments	3 + 1	3 + 1	3 + 2 + 1	4 + 2 + 1	5 + 2 + 1	6	6	6	5	5	5	5	

ENGINE

Transom length	Court	Court	court	Long	long	Extra Long	XXL en mono XL en bi-moteurs	XXL en mono XL en bi-moteurs	Long	Extra Long	Extra Long	Extra Long	
Maximum allowed power (Hp)	40	35	40 / 25	50 / 30	60 / 40	200	300 - 2 x 150	350 - 2 x 150	80	115	200	300	
Maximum allowed power (kW)	30	26	30 / 19	37 / 22	45 / 30	147	221 - 2 x 110	257 - 2 x 110	60	86	147	220	
Maximum allowed weight of engine (Kg-lbs)	95 - 209	85 - 187	95 - 209 72 - 159	115 - 253 75 - 165	120 - 264 95 - 209	393 - 866	393 - 866 2 x 258 - 2 x 569	393 - 866 2 x 258 - 2 x 569	191 - 421	244 - 537	282 - 622	385 - 849	

OPEN			PRO							
5.5	6.5	7	4.20	5.00	5.5	6.5	6.5	7	7.50	8.50

5.40 - 17'9"	6.10 - 20'	6.95 - 22'10"	4.20 - 13'9"	4.70 - 15'5"	5.40 - 17'9"	6.10 - 20'	6.10 - 20'	6.75 - 22'2"	7.50 - 24'7"	8.50 - 27'11"
4.22 - 13'10"	4.93 - 16'2"	5.71 - 18'9"	2.90 - 9'6"	3.38 - 11'1"	4.25 - 13'11"	4.94 - 16'2"	4.94 - 16'2"	5.71 - 18'9"	6.16 - 20'3"	7.45 - 24'5"
2.54 - 8'4"	2.54 - 8'4"	2.54 - 8'4"	1.90 - 6'3"	2.05 - 6'9"	2.54 - 8'4"	2.54 - 8'4"	2.54 - 8'4"	2.54 - 8'4"	2.90 - 9'6"	3.00 - 9'10"
1.39 - 4'7"	1.39 - 4'7"	1.39 - 4'7"	0.95 - 3'1"	1.05 - 3'5"	1.39 - 4'7"	1.39 - 4'7"	1.39 - 4'7"	1.39 - 4'7"	1.65 - 5'5"	1.85 - 6'1"
0.575 - 1'11"	0.57 - 1'11"	0.575 - 1'11"	0.455 - 16"	0.50 - 18"	0.57 - 1'10"	0.57 - 1'11"	0.57 - 1'11"	0.57 - 1'10"	0.60 - 1'12"	0.60 - 1'12"
24°	24°	24°	19°	22°	24°	24°	24°	24°	22°	24°

C	C	B + C	C	C	C	C	C	B + C	B + C	B + C
12	15	16 (C) - 7(B)	7	9	12	15	15	16 (C) - 5 (B)	20 (C) - 7 (B)	25 (C) - 8 (B)
1410 - 3108	1770 - 3902	1990 - 4387 (C) 1400 - 3086 (B)	780 - 1720	1060 - 2337	1550 - 3417	2050 - 4520	2050 - 4520	1960 - 4321 (C) 1160 - 2557 (B)	1830 - 4034 (C) 1155 - 2546 (B)	2800 - 6173 (C) 2050 - 4519 (B)
585 - 1290	760 - 1676	910 - 2006	181 - 399	230 - 507	430 - 948	610 - 1345	610 - 1345	790 - 1741	860 - 1896	1450 - 3197
5	5	5	3	5	5	5	5	5	5	7

Long	XL	Extra Long	Long	Long	Long	XL	Long	XL en mono L en bi	XL en mono L en bi	XXL en mono XL en bi-moteurs
130	175	250	50	70	115	175	2 x 90	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
97	131	186	37	52	84	131	2 x 66	183 - 2 x 95	220 - 2 x 110	257 - 2 x 183
225 - 496	282 - 622	300 - 661	115 - 253	170 - 374	225 - 496	282 - 622	2 x 220 - 2 x 440	293 - 645	300 - 661 2 x 240 - 2 x 529	393 - 866 2 x 300 - 2 x 661



CARACTÉRISTIQUES TECHNIQUES DES ANNEXES

YACHTLINE				CADET RIB ALU ULTRA LIGHT VERSION					CADET RIB ALU FLAT/V DECK VERSION				CADET RIB STRONGAN/NEO				
360	400	440	490	240	270	300	330	360	300	330	360	390	260 Strongan	290	310	340	390

DIMENSIONS (METERS – FEET)

Length overall	3.60 - 11'10"	4.00 - 13'1"	4.40 - 14'5"	4.90 - 16'1"	2.43-8'	2.73-8'11"	3.03-9'11"	3.33-10'11"	3.63-11'11"	3.00-9'10"	3.30-10'10"	3.60-11'10"	3.90-12'10"	2.60-8'6"	2.90-9'6"	3.10-10'2"	3.40-11'2"	3.90-12'10"
Inside length	2 - 6'7"	2.4 - 7'11"	2.8 - 9'2"	2.98 - 9'9"	1.66-5'5"	1.8-6'3"	2.10-6'11"	2.30-7'7"	2.70-8'10"	2.10-6'11"	2.30-7'7"	2.70-8'10"	3.00-9'8.4"	1.72-5'8"	1.95-6'5"	2.20-7'3"	2.48-8'2"	2.90-9'6"
Width overall	1.77 - 5'10"	1.77 - 5'10"	1.86 - 6'1"	2.05 - 6'9"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'4.8"	1.56-5'1"	1.56-5'1"	1.72-5'8"	1.72-5'8"	1.90-6'3"
Inside width	0.86 - 2'10"	0.86 - 2'10"	0.94 - 3'1"	1.05 - 3'5"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'5.6"	0.70-2'7"	0.70-2'4"	0.80-2'7"	0.80-2'7"	0.95-3'1"
Buoyancy tube diameter	0.455 - 1'6"	0.455 - 1'6"	0.455 - 1'6"	0.5 - 1'8"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'3.5"	0.42-1'5"	0.42-1'5"	0.45-1'6"	0.45-1'6"	0.45-1'6"

CAPACITY

Number of passengers (ISO)	4	5	6	9	3	4	4+1	5	6	5	6	6	7	3	4	5	5+1	7
Max. authorized payload (Kg – lbs.)	605 - 1334	735 - 1620	850 - 1874	945 - 2083	298-657	396-873	496-1094	551-1215	600-1341	463-1021	548-1209	558-1231	643-1418	400-882	450-993	480-1059	610-1345	780-1720
Total weight (Kg – lbs.)	193 - 426	218 - 481	273 - 602	390 - 860	33-73	37-82	43-95	47-104	50-111	58-128	62-137	68-150	74-164	52-115	71/75-157/166	87/91-192/201	93/97-206/214	181/227-400/501
Nbre of airtight compartments	3	3	3	5	3	3	3	3	3	3	3	3	3	3	3	3	3	3

ENGINE

Transom length	long	long	long	long	court	court	court	court	court	court	court	court	court	court	court	court	court	long
Max. allowed power (Hp)	40	50	60	90	6	10	15	15	30	15	15	30	30	10	15	20	25	50
Max. allowed power (kW)	30	38	45	68	4.5	8	11	11	22	11	11	22	22	8	11	15	19	38
Max. allowed weight of engine (Kg-lbs)	119 - 262	119 - 262	128 - 282	179 - 395	33-73	51-113	56-124	56-124	89-197	56-124	56-124	89-197	89-197	52-115	55-122	60-133	72-159	115-254

CADET COMPACT STRONGAN		CADET FASTROLLER			CADET				
250	300	285	325	360	200 Roll Up / Aero	230 Roll Up / Aero	270 Roll Up / Alu / Aero	310 Alu / Aero	350 Alu / Aero

250-8'2"	300-9'10"	285-9'4"	325-10'8"	360-11'10"	200-6'7"	230-7'7"	270-8'10"	310-10'2"	350-11'6"
162-5'4"	202-6'8"	191-6'3"	229-7'6"	267-8'9"	126-4'2"	144-4'9"	175-5'9"	220-7'3"	258-8'6"
156-5'1"	156-5'1"	168-5'6"	168-5'6"	174-5'9"	134-4'5"	134-4'5"	153-5'	155-5'1"	172-5'8"
0.70-2'4"	0.70-2'4"	0.78-2'7"	0.78-2'7"	0.84-2'9"	0.62-2'	0.62-2'	0.68-2'3"	0.68-2'3"	0.83-2'9"
0.42-1'5"	0.42-1'5"	0.45-1'6"	0.45-1'6"	0.45-1'6"	0.36-1'2"	0.36-1'2"	0.43-1'5"	0.44-1'5"	0.45-1'6"

3	4	4	5	6	2	3	3+1	5	6
380-838	450-993	450-993	490-1081	750-1654	180/210-397/463	270/300-596/662	370/450/420-816/993/926	600/570-1323/1257	650/620-1433/1367
38-84	48-106	35-78	38-84	44-97	20-45	22/24-49/53	29/37/31-64/82/69	49/35-109/78	67/42-148/93
2	2	2+1	3+1	3+2	2/2+1	2/2+1+1	3/3+1/3+1+1	3+1/3+1+1	3+1/3+1+1

court	court	court	court	court	court	court	court	court	court
8	10	8	10	15	3	4	4/8/6	15/10	20/15
6	8	6	8	11	2	3	3/6/4.5	11/8	15/11
42-93	52-115	42-93	52-115	55-122	18-40	27-60	27/42/27-60/93/60	55/52-122/115	55-122



The maximal authorized load was computed according to the ISO norm.

This document may make references to registered trademarks from other companies. Such references are purely indicative and do not constitute any commitment. In a constant search for better products, Z Nautic reserves the right to change or improve the conception or definition of its products at any time, without prior notice and without retroactive effect on the boats built previously.

This document cannot be considered as a contractual document. Non-contractual pictures.

Guarantee extensions are available depending on the products and the geographical area. Information available at your reseller and on www.Zodiac-nautic.com

Z Nautic reserves the right to modify the characteristics of its products without prior notice (tolerance +/- 3% on dimensions, +/- 5% on weight and speed).

Zodiac Nautic™ is a registered trademark – Copyright Zodiac Nautic™. Z Nautic SAS with a capital of 7,095,000€ - SIRET 812 206 340 000 26 APE 4778C - SIREN 812 206 340 - RCS TOULOUSE VAT N° 81 812 206 340. 2, Chemin de la Val Priout. 31450 AYGUESVIVES - FRANCE.

KEEP
EXPLORING

